

## Author Index to Volume 172

Abboud, J.-L.M., see M. Alcamí	172 (1990) 471
Adams, G.F., see J.O. Jensen	172 (1990) 379
Alcamí, M., O. Mó, M. Yáñez, J.-L.M. Abboud and J. Elguero, Bond activation by protonation in the gas phase	172 (1990) 471
Amos, A.T., T.F. Palmer, A. Walters and B.L. Burrows, Atom-atom potential parameters for van der Waals complexes of aromatics and rare-gas atoms	172 (1990) 503
Anderson, M.W. and J. Klinowski, Monitoring organic products of catalytic reactions on zeolites by two-dimensional <i>J</i> -resolved solid-state NMR	172 (1990) 275
Angyan, J.G., see F. Colonna	172 (1990) 55
Attard, P., D. Wei and G.N. Patey, Critical comments on the nonlocal dielectric function employed in recent theories of the hydration force	172 (1990) 69
Axon, S.A., K. Huddersman and J. Klinowski, Gallium EXAFS and solid-state NMR studies of Ga-substituted MFI-type zeolites	172 (1990) 398
Balasubramanian, K., see K.K. Das	172 (1990) 372
Bancroft, G.M., see Z.F. Liu	172 (1990) 421
Banerjee, S.B., see P. Jana	172 (1990) 158
Batova, E.E., see V.Ya. Shafirovich	172 (1990) 10
Behera, L., T. Kar and A.B. Sannigrahi, Effect of basis-set superposition on the atomic charges and valencies in hydrogen- and lithium-bonded complexes	172 (1990) 487
Berezhkovskii, A.M. and V.Yu. Zitserman, Solvent slow-mode influence on chemical reaction dynamics: a multidimensional Kramers-theory treatment	172 (1990) 235
Bergmann, T., see T.P. Martin	172 (1990) 209
Billing, G.D., see N. Markovic	172 (1990) 509
Boldyrev, A.I. and P. von R. Schleyer, The electron affinity of $\text{LiBO}_2$ and the structure of its negative ion, $\text{LiBO}_2^-$	172 (1990) 193
Bouvet, M. and J. Simon, Electrical properties of rare earth bisphthalocyanine and bis-naphthalocyanine complexes	172 (1990) 299
Bowman, R.M., see M.H.M. Janssen	172 (1990) 99
Brauman, J.I., R.N. Zare and R.D. Levine, Fragment isotope distribution as a signature of molecular fluxionality	172 (1990) 231
Brienne, J., see I. Ledoux	172 (1990) 440
Bulatov, A. and V. Fetisov, Nonstationary nucleation in the supersaturated vapor	172 (1990) 388
Burrow, P.D., see S.C. Chu	172 (1990) 17
Burrows, B.L., see A.T. Amos	172 (1990) 503
Cannistraro, S., see R. Lamanna	172 (1990) 312
Carnie, S.L., see G.A. Christos	172 (1990) 249
Castellani, L., see G. Zerbi	172 (1990) 143
Cavell, R.G., see Z.F. Liu	172 (1990) 421
Chabalowski, C.F., see J.O. Jensen	172 (1990) 379

- Chaudhuri, R., see D. Mukhopadhyay Jr. 172 (1990) 515  
Chibante, L.P.F., see L. Wang 172 (1990) 335  
Chierichetti, B., see G. Zerbi 172 (1990) 143  
Christos, G.A. and S.L. Carnie, Computer simulation of semi-dilute polyelectrolyte solutions 172 (1990) 249  
Chu, S.C. and P.D. Burrow, Dissociative attachment of electrons in the chloromethanes 172 (1990) 17  
Chung, C. and S. Wimperis, Three- and five-quantum filtration experiments in  $^{25}\text{Mg}$  NMR of a macromolecular system 172 (1990) 94  
Colonna, F., J.G. Angyan and O. Tapia, Modelling the electric field of water obtained from accurate SCF wave functions 172 (1990) 55  
Cong, P., A. Mokhtari and A.H. Zewail, Femtosecond probing of persistent wave packet motion in dissociative reactions: up to 40 ps 172 (1990) 109  
Cooksy, A.L., see A. O'Keefe 172 (1990) 214  
Craw, J.S. and M.A.C. Nascimento, Ab initio  $^{13}\text{C}$  shielding parameters in acetylene clusters 172 (1990) 265  
Curl, R.F., see L. Wang 172 (1990) 335  
Cutler, J.N., see Z.F. Liu 172 (1990) 421
- Das, K.K. and K. Balasubramanian, Spectroscopic constants and potential energy curves of electronic states of LaH 172 (1990) 372  
Davis, R.W., see C.D. Paulse 172 (1990) 43  
Delmelle, M., see R. Lamanna 172 (1990) 312  
Dickinson, E., see D.J. McClements 172 (1990) 449  
Dietz, F., see K. Schöffel 172 (1990) 187  
Dodsworth, E.S. and A.B.P. Lever, The use of optical electronegativities to assign electronic spectra of semiquinone complexes 172 (1990) 151  
Döge, G., D. Lindner, W. Richter and D. Schiel, The effect of resonant vibrational coupling on the frequency of the  $\nu_2$  mode of liquid methyl iodide in Raman scattering and infrared absorption 172 (1990) 453  
Dreger, Z., see J. Kalinowski 172 (1990) 522
- Ehara, M., see H. Nakatsuji 172 (1990) 261  
Elguero, J., see M. Alcamí 172 (1990) 471  
Engels, B., see K. Funken 172 (1990) 180  
Eychmüller, A., see L. Katsikas 172 (1990) 201
- Fain, B., Supertunneling in dissipative media 172 (1990) 393  
Fenistein, S., M. Heninger, R. Marx, G. Mauclaire and Y.M. Yang, Radiative relaxation of  $\text{NO}^+(\text{X}, v=1-4)$  172 (1990) 89  
Fetisov, V., see A. Bulatov 172 (1990) 388  
Field, M.J., Simulated annealing, classical molecular dynamics and the Hartree-Fock method: the NDDO approximation 172 (1990) 83  
Franchy, R., see P. Sjövall 172 (1990) 125  
François, J.P., see J.M.L. Martin 172 (1990) 346  
François, J.P., see J.M.L. Martin 172 (1990) 354  
Fujino, T., see Y. Hinatsu 172 (1990) 131  
Fujitsuka, M., see K. Nakamura 172 (1990) 205  
Funken, K., B. Engels, S.D. Peyerimhoff and F. Grein, Study of the hyperfine coupling constants of the molecules  $\text{NH}_2$ , NHD and  $\text{ND}_2$  172 (1990) 180

Gallazzi, C., see G. Zerbi	172 (1990) 143
Ganguly, T., see P. Jana	172 (1990) 158
Gburski, Z., see A. Kloc	172 (1990) 73
Ghosh, S.K., Energy derivatives in density-functional theory	172 (1990) 77
Giersig, M., see L. Katsikas	172 (1990) 201
Gijbels, R., see J.M.L. Martin	172 (1990) 346
Gijbels, R., see J.M.L. Martin	172 (1990) 354
Godlewski, J., see J. Kalinowski	172 (1990) 522
Göhlich, H., see T.P. Martin	172 (1990) 209
Gönül, B., see E. Kasap	172 (1990) 499
Goodman, D.W., see W.K. Kuhn	172 (1990) 331
Graener, H., G. Seifert and A. Laubereau, Direct observation of rotational relaxation times by time-resolved infrared spectroscopy	172 (1990) 435
Grein, F., see K. Funken	172 (1990) 180
Guyot-Sionnest, P. and A. Tadjeddine, Spectroscopic investigations of adsorbates at the metal-electrolyte interface using sum frequency generation	172 (1990) 341
Handy, N.C., see W.H. Miller	172 (1990) 62
Harano, A., J. Kinoshita and S. Koda, Decomposition of gaseous hydrocarbons in a laser-induced plasma as a novel carbonaceous source for cluster formation	172 (1990) 219
He, J.-W., see W.K. Kuhn	172 (1990) 331
Heath, J., see A. O'Keefe	172 (1990) 214
Heninger, M., see S. Fenistein	172 (1990) 89
Hernandez, R., see W.H. Miller	172 (1990) 62
Hess, B., see A.M. Zhabotinsky	172 (1990) 445
Hinatsu, Y. and T. Fujino, Study of electron paramagnetic resonance on $\text{Ce}_{0.1}\text{U}_{0.9}\text{O}_2$ solid solution	172 (1990) 131
Hjorth, J., see J. Skibsted	172 (1990) 279
Ho, W., see P. Sjövall	172 (1990) 125
Holloway, S. and B. Jackson, Rotational state distributions as a probe of dissociative adsorption	172 (1990) 40
Hom, M., see J.M. Warman	172 (1990) 114
Huang, J.Y., see R. Superfine	172 (1990) 303
Huddersman, K., see S.A. Axon	172 (1990) 398
Ingänas, O., see G. Zerbi	172 (1990) 143
Ito, Y., see I. Suzuka	172 (1990) 409
Jackson, B., see S. Holloway	172 (1990) 40
Jakobsen, H.J., see J. Skibsted	172 (1990) 279
Jana, P., G.K. Mallik, T. Ganguly and S.B. Banerjee, Heavy-atom effect on emission from free and hydrogen-bonded complexes of excited 1,2,3,4-tetrahydroquinoline	172 (1990) 158
Janssen, M.H.M., R.M. Bowman and A.H. Zewail, Femtosecond temporal spectroscopy of ICl: inversion to the $\text{A}^3\Pi_1$ state potential	172 (1990) 99
Jayatilaka, D., see W.H. Miller	172 (1990) 62
Jensen, J.O., G.F. Adams and C.F. Chabalowski, Ab initio study of the electric dipole transition moment for the $\tilde{\text{C}}\leftarrow\tilde{\text{X}}$ electronic transition in acetylene: theoretical predictions of the absorption and magnetic circular dichroism intensities	172 (1990) 379



- Kabbaj, O.K., M.-B. Lepetit and J.-P. Malrieu, Inclusion of dynamical polarization effects is sufficient to obtain reliable energies and structures of  $\text{He}_n^+$  clusters 172 (1990) 483
- Kajimoto, O., see K. Yamasaki 172 (1990) 271
- Kakitani, T., see M. Saito 172 (1990) 169
- Kalinowski, J., Z. Dreger, J. Godlewski and P. Mondalski, Structural transformations in N-isopropylcarbazole crystal monitored by pressure-induced luminescence 172 (1990) 522
- Kar, T., see L. Behera 172 (1990) 487
- Kasap, E., B. Gönül and M. Şimşek, Supersymmetric WKB solutions for pseudoharmonic and Mie-type potentials 172 (1990) 499
- Kasemo, B., see P. Sjövall 172 (1990) 125
- Katada, M., see H. Ohe 172 (1990) 284
- Katsikas, L., A. Eychmüller, M. Giersig and H. Weller, Discrete excitonic transitions in quantum-sized CdS particles 172 (1990) 201
- Keniry, M.A. and B.C. Sanctuary, Experimental verification of the exact response of nuclear spins to an exponentially shaped pulse 172 (1990) 295
- Kinoshita, J., see A. Harano 172 (1990) 219
- Kitajima, M., see K. Nakamura 172 (1990) 205
- Kitamura, T., see T. Yamanaka 172 (1990) 29
- Klinowski, J., see M.W. Anderson 172 (1990) 275
- Klinowski, J., see S.A. Axon 172 (1990) 398
- Klobukowski, M., Atomic correlation energies from effective-core-potential and model-potential calculations 172 (1990) 361
- Kloc, A. and Z. Gburski, Interaction-induced absorption in rare-gas/liquid mixture: a two-body contribution 172 (1990) 73
- Kobayashi, Y., Effect of external pressure on the reactivity of nitrobenzene toward positronium in hexane and benzene solutions 172 (1990) 307
- Koda, S., see A. Harano 172 (1990) 219
- Koepke, Cz. and A. Lempicki, Excited state "photochromism" in bismuth germanate 172 (1990) 224
- Koepke, Cz. and A. Lempicki, Excited state absorption in  $\text{Bi}_4\text{Ge}_3\text{O}_{12}$  172 (1990) 227
- Koga, N. and K. Morokuma, A simple scheme of estimating substitution or substituent effects in the ab initio MO method based on the shift operator 172 (1990) 243
- Koyama, Y., see E. Nishizawa 172 (1990) 317
- Krausz, E., see H. Riesen 172 (1990) 5
- Kroon, J., see J.M. Warman 172 (1990) 114
- Krossner, T., see K. Schöffel 172 (1990) 187
- Kubo, A., see H. Ohe 172 (1990) 284
- Kuhn, W.K., J.-W. He and D.W. Goodman, IR study of CO surface diffusion on sub-monolayer metal overlayers 172 (1990) 331
- Kunst, M., see K.-M. Schindler 172 (1990) 137
- Lamanna, R., M. Delmelle and S. Cannistraro, A near-infrared study of hydrogen bonding in human albumin aqueous solutions 172 (1990) 312
- Lange, T., see T.P. Martin 172 (1990) 209
- Laubereau, A., see H. Graener 172 (1990) 435
- Laverdet, G., G. Le Bras, A. Mellouki and G. Poulet, The  $\text{Br} + \text{HO}_2$  reaction revisited: absolute determination of the rate constant at 298 K 172 (1990) 430
- Leahey, J., see B.H. Loo 172 (1990) 33
- Le Bras, G., see G. Laverdet 172 (1990) 430

- Ledoux, I., J. Zyss, J.S. Siegel, J. Brienne and J.-M. Lehn, Second-harmonic generation from non-dipolar non-centrosymmetric aromatic charge-transfer molecules 172 (1990) 440
- Lee, Y.G., see B.H. Loo 172 (1990) 33
- Lehn, J.-M., see I. Ledoux 172 (1990) 440
- Lempicki, A., see Cz. Koepke 172 (1990) 224
- Lempicki, A., see Cz. Koepke 172 (1990) 227
- Lepetit, M.-B., see A. Sanchez de Meras 172 (1990) 163
- Lepetit, M.-B., see O.K. Kabbaj 172 (1990) 483
- Lever, A.B.P., see E.S. Dodsworth 172 (1990) 151
- Levin, P.P., see V.Ya. Shafirovich 172 (1990) 10
- Levine, R.D., see J.I. Brauman 172 (1990) 231
- Lindner, D., see G. Döge 172 (1990) 453
- Liu, Z.F., J.N. Cutler, G.M. Bancroft, K.H. Tan, R.G. Cavell and J.S. Tse, High resolution gas phase photoabsorption spectra and multiple-scattering  $X\alpha$  study of  $PX_3$  ( $X=H, CH_3, CF_3$ ) compounds at the P  $L_{2,3}$  edge 172 (1990) 421
- Loo, B.H., J. Leahey and Y.G. Lee, Enhanced Raman spectroscopic study of the adsorption of thiocarbonylhydrazide on silver and copper electrode surfaces 172 (1990) 33
- Mahmood, M.F., Collisional behavior of  $HgX(B^2\Sigma-X^2\Sigma)$  formation involving  $CO^+$  and  $CO_2^+$  ions and  $HgX_2$  ( $X=Cl, Br$ ) molecules 172 (1990) 23
- Mallik, G.K., see P. Jana 172 (1990) 158
- Malrieu, J.-P., see A. Sanchez de Meras 172 (1990) 163
- Malrieu, J.-P., see O.K. Kabbaj 172 (1990) 483
- Markovic, N., G.D. Billing and J.T. Muckerman, On the use of grid methods for the solution of reactive scattering problems in hyperspherical coordinates 172 (1990) 509
- Martin, J.M.L., J.P. François and R. Gijbels, On size-consistency corrections for limited configuration-interaction calculations 172 (1990) 346
- Martin, J.M.L., J.P. François and R. Gijbels, Some cost-effective approximations to CCSD and QCISD 172 (1990) 354
- Martin, T.P., T. Bergmann, H. Göhlich and T. Lange, Observation of electronic shells of atoms in large Na clusters 172 (1990) 209
- Marx, R., see S. Fenistein 172 (1990) 89
- Matsuoka, O., Basis-set expansion method for relativistic atoms in the atomic-nucleus model of a finite sphere of constant electric field 172 (1990) 175
- Mauclaire, G., see S. Fenistein 172 (1990) 89
- McClements, D.J., E. Dickinson and M.J.W. Povey, Crystallization in hydrocarbon-in-water emulsions containing a mixture of solid and liquid droplets 172 (1990) 449
- Meletov, K.P., High-pressure study of the crystal-field-induced mixing of exciton states in a naphthalene crystal 172 (1990) 147
- Mellouki, A., see G. Laverdet 172 (1990) 430
- Merkt, F. and T.P. Softley, Resonance-enhanced sum-frequency generation of XUV radiation in CO, Chem. Phys. Letters 165 (1990) 477. Erratum 172 (1990) 529
- Miller, W.H., R. Hernandez, N.C. Handy, D. Jayatilaka and A. Willetts, Ab initio calculation of anharmonic constants for a transition state, with application to semiclassical transition state tunneling probabilities 172 (1990) 62
- Mó, O., see M. Alcamí 172 (1990) 471
- Mokhtari, A., see P. Cong 172 (1990) 109

Mondalski, P., see J. Kalinowski	172 (1990) 522
Morokuma, K., see N. Koga	172 (1990) 243
Moss, R.E., Calculations on the 0,1 and 0,3 vibration-rotation levels of $H_2^+$	172 (1990) 458
Muckerman, J.T., see N. Markovic	172 (1990) 509
Mukherjee, D., see D. Mukhopadhyay Jr.	172 (1990) 515
Mukhopadhyay Jr., D., R. Chaudhuri and D. Mukherjee, A new nonperturbative theory of core-hole ionizations: a compact cluster-expansion technique for treating relaxation effects	172 (1990) 515
Müller, B., M. Schüller and J. Reinhold, Ab initio SCF calculations on the potential surfaces of phosphine hydrogen halide complexes in the gas phase	172 (1990) 478
Müller, S.C., see A.M. Zhabotinsky	172 (1990) 445
Naaman, R., see Y. Paz	172 (1990) 120
Nakamura, K., M. Fujitsuka and M. Kitajima, Finite size effect on Raman scattering of graphite microcrystals	172 (1990) 205
Nakatsuji, H. and M. Ehara, Collision-induced absorption spectra of CsXe system studied by SAC-CI theory	172 (1990) 261
Narita, S., see T. Shibuya	172 (1990) 494
Nascimento, M.A.C., see J.S. Craw	172 (1990) 265
Nicolaides, C.A., see P. Valtazanos	172 (1990) 254
Nishizawa, E. and Y. Koyama, The $T_1$ Raman spectra of bacteriochlorophyll a: changes in the bond orders of the conjugated macrocycle upon triplet excitation	172 (1990) 317
Ohe, H., A. Kubo, M. Katada and H. Sano, Motional narrowing of $^{13}C$ dipolar magic-angle-spinning nuclear magnetic resonance spectra	172 (1990) 284
Okamoto, H. and K. Yoshihara, Theoretical study on polarized time-resolved resonance coherent anti-Stokes Raman scattering: effects of ultrafast molecular rearrangement in the electronically excited state	172 (1990) 323
O'Keefe, A., J.J. Scherer, A.L. Cooksy, R. Sheeks, J. Heath and R.J. Saykally, Cavity ring down dye laser spectroscopy of jet-cooled metal clusters: $Cu_2$ and $Cu_3$	172 (1990) 214
Oliver, A.M., see J.M. Warman	172 (1990) 114
Osad'ko, I.S., Density matrix approach to optical dephasing in solids: nonperturbative theory for dephasing processes, Chem. Phys. Letters 167 (1990) 412. Erratum	172 (1990) 330
Paddon-Row, M.N., see J.M. Warman	172 (1990) 114
Palmer, T.F., see A.T. Amos	172 (1990) 503
Patey, G.N., see P. Attard	172 (1990) 69
Paulse, C.D., R.A. Poirier and R.W. Davis, The molecular structures and harmonic force fields of $SO_2$ , $S_2O$ , and $S_2O_2$ from combined spectroscopic and SCF results	172 (1990) 43
Paz, Y. and R. Naaman, Vibrational energy distribution in aniline scattered from surfaces covered with organized organic monolayers	172 (1990) 120
Peyerimhoff, S.D., see K. Funken	172 (1990) 180
Poirier, R.A., see C.D. Paulse	172 (1990) 43
Poulet, G., see G. Laverdet	172 (1990) 430
Povey, M.J.W., see D.J. McClements	172 (1990) 449
Pratum, T.K., Correction for anisotropic off-resonance decoupling effects in CPMAS of moderate susceptibility materials	172 (1990) 291



Reinhold, J., see B. Müller	172 (1990) 478
Richter, W., see G. Döge	172 (1990) 453
Riesen, H. and E. Krausz, Resonant line narrowing in Ru(II) tris(3,3'-biisoquinoline)	172 (1990) 5
Saito, M. and T. Kakitani, Monte Carlo simulation study on solvation energy of polar solutions	172 (1990) 169
Salzner, U. and P. von R. Schleyer, Ab initio studies of the geometries and electronic structures of CaF <sub>2</sub> and CaCl <sub>2</sub>	172 (1990) 461
Sanchez de Meras, A., M.-B. Lepetit and J.-P. Malrieu, Discontinuity of valence CASSCF wave functions around weakly avoided crossing between valence configurations	172 (1990) 163
Sanctuary, B.C., see M.A. Keniry	172 (1990) 295
Sandström, M., see D. Strömberg	172 (1990) 49
Sannigrahi, A.B., see L. Behera	172 (1990) 487
Sano, H., see H. Ohe	172 (1990) 284
Saykally, R.J., see A. O'Keefe	172 (1990) 214
Scherer, J.J., see A. O'Keefe	172 (1990) 214
Schiel, D., see G. Döge	172 (1990) 453
Schindler, K.-M. and M. Kunst, Gas adsorption and the charge-carrier kinetics in ZnO powder	172 (1990) 137
Schleyer, P. von R., see A.I. Boldyrev	172 (1990) 193
Schleyer, P. von R., see U. Salzner	172 (1990) 461
Schöffel, K., F. Dietz and T. Krossner, Model mechanisms for the thermal cis-trans isomerization of cyanines	172 (1990) 187
Schüler, M., see B. Müller	172 (1990) 478
Seifert, G., see H. Graener	172 (1990) 435
Shafirovich, V.Ya., E.E. Batova and P.P. Levin, Magnetic field effect on the recombination of the triplet radical ion pair state of the Zn-porphyrin-viologen dyad: the influence of the supramolecule microenvironment	172 (1990) 10
Sheeks, R., see A. O'Keefe	172 (1990) 214
Shen, Y.R., see R. Superfine	172 (1990) 303
Shibuya, T. and S. Narita, On the Coulomb repulsion integrals used in the parametrized equations-of-motion method for $\pi \rightarrow \pi^*$ transitions	172 (1990) 494
Siegel, J.S., see I. Ledoux	172 (1990) 440
Simon, J., see M. Bouvet	172 (1990) 299
Şimşek, M., see E. Kasap	172 (1990) 499
Sjövall, P., S.K. So, B. Kasemo, R. Franchy and W. Ho, NO <sub>2</sub> adsorption on graphite at 90 K	172 (1990) 125
Skibsted, J., J. Hjorth and H.J. Jakobsen, Correlation between <sup>29</sup> Si NMR chemical shifts and mean Si-O bond lengths for calcium silicates	172 (1990) 279
Slanina, Z., Water-dimer structure, energetics and harmonic vibrations in flexible BJH and MCYL potentials	172 (1990) 367
Smalley, R.E., see L. Wang	172 (1990) 335
So, S.K., see P. Sjövall	172 (1990) 125
Softley, T.P., see F. Merkt	172 (1990) 529
Strömberg, D., M. Sandström and U. Wahlgren, Theoretical calculations on the structure of the hexahydrated divalent zinc, cadmium and mercury ions	172 (1990) 49

- Superfine, R., J.Y. Huang and Y.R. Shen, Experimental determination of the sign of molecular dipole moment derivatives: an infrared-visible sum frequency generation absolute phase measurement study 172 (1990) 303
- Suzuka, I., T. Tomioka and Y. Ito, Ion-induced sensitized phosphorescence excitation spectra of halobenzenes in supersonic jets 172 (1990) 409
- Tadjeddine, A., see P. Guyot-Sionnest 172 (1990) 341
- Takahashi, Y., see T. Yamanaka 172 (1990) 29
- Takahashi, Y., see T. Yamanaka 172 (1990) 405
- Tan, K.H., see Z.F. Liu 172 (1990) 421
- Tapia, O., see F. Colonna 172 (1990) 55
- Thiemens, M.H., see J. Wen 172 (1990) 416
- Tittel, F.K., see L. Wang 172 (1990) 335
- Tomioka, T., see I. Suzuka 172 (1990) 409
- Tse, J.S., see Z.F. Liu 172 (1990) 421
- Uchida, K., see T. Yamanaka 172 (1990) 29
- Uchida, K., see T. Yamanaka 172 (1990) 405
- Valtazanos, P. and C.A. Nicolaides, Local minima of ground hypersurfaces. The cases of  $\text{He}_3^+$  and of the  $\text{BeH}_2^+$  nonclassical dihydrogen complex 172 (1990) 254
- Wahlgren, U., see D. Strömberg 172 (1990) 49
- Walters, A., see A.T. Amos 172 (1990) 503
- Wang, L., L.P.F. Chibante, F.K. Tittel, R.F. Curl and R.E. Smalley, Ammonia chemisorption on gallium arsenide clusters 172 (1990) 335
- Warman, J.M., M. Hom, M.N. Paddon-Row, A.M. Oliver and J. Kroon, (Sub)nanosecond intramolecular hole transfer through a rigid, 10-sigma-bond, saturated-hydrocarbon bridge 172 (1990) 114
- Wei, D., see P. Attard 172 (1990) 69
- Weller, H., see L. Katsikas 172 (1990) 201
- Wen, J. and M.H. Thiemens, An apparent new isotope effect in a molecular decomposition and implications for nature 172 (1990) 416
- Willetts, A., see W.H. Miller 172 (1990) 62
- Wimperis, S., see C. Chung 172 (1990) 94
- Yamanaka, T., Y. Takahashi, T. Kitamura and K. Uchida, Time-resolved fluorescence spectra of pyrene doped in amorphous silica glasses 172 (1990) 29
- Yamanaka, T., Y. Takahashi and K. Uchida, Time-resolved fluorescence spectra of naphthalene doped in amorphous silica glasses 172 (1990) 405
- Yamasaki, K. and O. Kajimoto, Solvent effect in supercritical fluids: keto-enol equilibria of acetylacetone and ethylacetoacetate 172 (1990) 271
- Yáñez, M., see M. Alcamí 172 (1990) 471
- Yang, Y.M., see S. Fenistein 172 (1990) 89
- Yoshihara, K., see H. Okamoto 172 (1990) 323
- Zare, R.N., see J.I. Brauman 172 (1990) 231
- Zerbi, G., L. Castellani, B. Chierichetti, C. Gallazzi and O. Ingänas, Non-equilibrium structures and geometry relaxation in polyoctylthiophene 172 (1990) 143



Zewail, A.H., see M.H.M. Janssen	172 (1990) 99
Zewail, A.H., see P. Cong	172 (1990) 109
Zhabotinsky, A.M., S.C. Müller and B. Hess, Interaction of chemical waves in a thin layer of microheterogeneous gel with a transversal chemical gradient	172 (1990) 445
Zitserman, V.Yu., see A.M. Berezhkovskii	172 (1990) 235
Zyss, J., see I. Ledoux	172 (1990) 440

